



Glass Windscreen System

Ascent, a post-supported glass windscreen designed for commercial exterior use, delivers unobstructed views while also diverting wind to create a more enjoyable environment and outdoor experience. Designed to withstand 80psf wind loads – eight times the amount of standard windscreens – Ascent is the ideal solution for protecting pools, outdoor dining areas and balconies from distracting winds. At a standard height of 6 ft., Trex Commercial Products' Ascent Windscreen System provides extensive coverage for furniture and patrons; however, the product's height is completely customizable based on individual project needs. In addition, its snap-fit aluminum posts make for quick, safe and easy assembly.



COMMERCIAL PRODUCTS



Ascent™ - Glass Windscreen System




Tech Specifications

Material:	Aluminum Posts, Steel stanchions
Finishes:	Aluminum: Anodized, High Performance Coatings, Powder Coat, Kynar
Height:	6' - Standard with up to 80 psf wind load (Custom Available)
Standard Post Spacing :	5' On Center - Standard (Custom Available)
Mount Type:	Top
Frame:	Aluminum 4" x 4 1/2" snap-fit posts with 1 1/2" X 3" steel stanchions
Infill Options:	1/2" Laminated Glass (Custom Available)
ASTM STDS:	A240/A240M/A554/A555/A666 (Stainless), C1048-12 (Glass)



Ascent™ - Glass Windscreen System

Product Components




SET SCREW AND SETTING BLOCK
ATTACHMENT DETAIL




Ascent™ - Glass Windscreen System


Windscreen Snap Fit System



Post Detail



MID POST DETAIL



END POST DETAIL

