



.125" Aluminum Brake Metal  
Ultrapon 70% Kynar 2-Coat Custom Color


2 @ 120"  
1 Splice Sleeve




2 @ 120"  
1 Splice Sleeve



.050" Aluminum Brake Metal  
Ultrapon 70% Kynar 2-Coat Custom Color  
35 @ 144"




2 @ 144"




4 @ 144"


.125" Aluminum Brake Metal  
Ultrapon 70% Kynar 2-Coat Custom Color




1 @ 144"



1 @ 144"




11 @ 144"  
8 Splice Sleeves




11 @ 144"  
8 Splice Sleeves


.125" Aluminum Brake Metal  
Ultrapon 70% Kynar 2-Coat Custom Color




7 @ 144"  
6 Splice Sleeves




7 @ 144"  
6 Splice Sleeves



12 @ 120"  
4 @ 144"




12 @ 120"  
4 @ 144"




2 @ 144"

.125" Aluminum Brake Metal  
Ultrapon 70% Kynar 2-Coat Custom Color



12 @ 144"  
9 Splice Sleeves




2 @ 96"


9299/9300  
90 Degree  
Corner Mullion  
To W1.3

9299/9300  
90 Degree  
Corner Mullion

14" Steel Beam NBE  
See B/M Takeoff  
For Beam Covers




2 STOREFRONT W1.2  
1/4" = 1'-0"




1 STOREFRONT W1.1  
1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
Operable Windows Are Included In Separate Quote  
1 Each Type W1.1 - Door 100B - Automatic Sliding Door Not By EFCO  
1 Each Type W1.2 - Door 100C - 7'10" X 8'0" Glass Door Not By EFCO - Prep For Offset Pivot Set & Electric Strikes At Head


9299/9300  
90 Degree  
Corner Mullion  
To W1.4



Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambes  
Operable Windows Are Included In Separate Quote  
1 Each Type W1.3




Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
Operable Windows Are Included In Separate Quote  
1 Each Type W1.4



Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jams  
1 Each Type W1.5




9299/9300  
90 Degree  
Corner Mullion  
To W1.7





6 STOREFRONT W1.6  
1/4" = 1'-0"


Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
Operable Windows Are Included In Separate Quote  
1 Each Type W1.6 - Door 102E - Multipanel Folding Storefront Door Not By EFCO



Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
 Operable Windows Are Included In Separate Quote  
 1 Each Type W1.7 - Door 102D - Multipanel Folding Storefront Door Not By EFCO  
 Door 102C - 7'10" X 7'0" Glass Door Not By EFCO - Prep For Offset Pivots & CRL Panic Strikes At Head




Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
 1 Each Type W1.8 - Door 101 - 8'4" X 8'0" Glass Door Not By EFCO - Prep For Offset Pivot Set & Electric Strikes At Head  
 1 Each Type W1.9 - Door 100A - 7'8 1/2" X 8'0" Glass Door Not By EFCO - Prep For Offset Pivot Set, Electric Strikes At Head  
 & OHC Closers




Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
1 Each Type W1.10


Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
 Operable Windows Are Included In Separate Quote  
 3 Each Type W1.11  
 3 Each Type W1.12 - Doors 141, 142 & 145 - Multipanel Folding Storefront Doors Not By EFCO



2 STOREFRONT W1.12  
 1/4" = 1'-0"




1 STOREFRONT W1.11  
 1/4" = 1'-0"




③ STOREFRONT W1.13  
1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
Operable Windows Are Included In Separate Quote  
1 Each Type W1.13 - Door 160D - Multipanel Folding Storefront Door Not By EFCO






Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
Operable Windows Are Included In Separate Quote  
1 Each Type W1.14 - Door 160A - Multipanel Folding Storefront Door Not By EFCO




Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
Operable Windows Are Included In Separate Quote  
1 Each Type W1.15 - Door 160B - Multipanel Folding Storefront Door Not By EFCO







6 STOREFRONT W1.16  
1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
Operable Windows Are Included In Separate Quote  
1 Each Type W1.16




Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
 Operable Windows Are Included In Separate Quote  
 1 Each Type W1.16 Continued

9299/9300  
90 Degree  
Corner Mullion  
To W2.3




Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
Operable Windows Are Included In Separate Quote  
1 Each Type W2.1  
1 Each Type W2.2

9299/9300  
90 Degree  
Corner Mullion  
To W2.4




3 STOREFRONT W2.3  
1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
Operable Windows Are Included In Separate Quote  
1 Each Type W2.3




4 STOREFRONT W2.4  
1/4" = 1'-0"


Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
Operable Windows Are Included In Separate Quote  
1 Each Type W2.4



Series 5600 2 1/2" X 7 1/2" Curtain Wall Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Operable Windows Are Included In Separate Quote  
 1 Each Type W2.6 - Include 20 29J7 Glass Fin Outrigger Clips & FBX6 Outrigger Pressure Plates  
 9/16" Glass Fins Not By EFCO




Series 5600 2 1/2" X 7 1/2" Curtain Wall Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Operable Windows Are Included In Separate Quote  
 1 Each Type W2.7 - Include 42 29J7 Glass Fin Outrigger Clips & FBX6 Outrigger Pressure Plates  
 9/16" Glass Fins Not By EFCO




Series 5600 2 1/2" X 7 1/2" Curtain Wall Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Operable Windows Are Included In Separate Quote  
 1 Each Type W2.7 Continued






9 STOREFRONT W2.9  
1/4" = 1'-0"




8 STOREFRONT W2.8  
1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
Operable Windows Are Included In Separate Quote  
2 Each Type W2.8  
1 Each Type W2.9




11 STOREFRONT W2.11  
 1/4" = 1'-0"




10 STOREFRONT W2.10  
 1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
 1 Each Type W2.10  
 1 Each Type W2.11




13 STOREFRONT W2.13  
1/4" = 1'-0"

.125" Aluminum B/M Panel  
With 1" Return Legs At  
Bottom Lite




12 STOREFRONT W2.12  
1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
2 Each Type W2.12  
2 Each Type W2.13




15 STOREFRONT W2.15  
 1/4" = 1'-0"




14 STOREFRONT W2.14  
 1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
 1 Each Type W2.14 - Door 235B - 3'0" X 7'0" Glass Door Not By EFCO - Prep For Offset Pivot Set, OHC Stop & Strike At Head  
 1 Each Type W2.15 - Doors 230A & 230B - 3'0" X 7'0" Glass Doors Not By EFCO - Prep For Offset Pivot Set, OHC Stop & Strike At Head




Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambes  
 1 Each Type W2.16

.125" Aluminum B/M Panel  
With 1" Return Legs At  
Bottom Lite



TYPE: W2.18  
GLAZING: GL-1  
FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR

18 STOREFRONT W2.18  
1/4" = 1'-0"




TYPE: W2.17  
GLAZING: GL-1  
FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR

17 STOREFRONT W2.17  
1/4" = 1'-0"


Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
1 Each Type W2.17 - Door 241 - 3'0" X 7'0" Glass Door Not By EFCO - Prep For Offset Pivot Set & Strike At Head  
2 Each Type W2.18

9299/9300  
90 Degree  
Corner Mullion  
To W3.2



Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
1 Each Type W3.1


9299/9300  
90 Degree  
Corner Mullion  
To W3.5



2 STOREFRONT W3.2  
1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
Operable Windows Are Included In Separate Quote  
1 Each Type W3.2






3 STOREFRONT W3.3  
1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
1 Each Type W3.3







TYPE: W3.5  
 GLAZING: GL-1  
 FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR

5 STOREFRONT W3.5  
 1/4" = 1'-0"


Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
 Operable Windows Are Included In Separate Quote  
 1 Each Type W3.5





Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jambs  
1 Each Type W3.6






TYPE:

GLAZING: GL-1

FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR


8 STOREFRONT W3.8  
1/4" = 1'-0"

Series 403X Xtherm 2" X 4 1/2" Thermal Storefront Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
Provide 37L5/3625 2-Piece Sub-Head, 21T1 Sill Flashing & 21S4 Thermal Perimeter Filler At Jamb  
Operable Windows Are Included In Separate Quote  
1 Each Type W3.8




TYPE: W3.10  
 GLAZING: GL-1  
 FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR











TYPE: W3.15B  
 GLAZING: GL-3  
 FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR



TYPE: W3.15A  
 GLAZING: GL-3  
 FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR




TYPE: W3.12A  
 GLAZING: GL-3  
 FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR

19 TYPE W3.15-B  
 1/4" = 1'-0"

15 TYPE W3.15-A  
 1/4" = 1'-0"

11 TYPE W3.12-A  
 1/4" = 1'-0"


Series 5600 2 1/2" X 7 1/2" Curtain Wall Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 1 Each Type W3.12-A  
 1 Each Type W3.15-A  
 1 Each Type W3.15-B



TYPE: W3.13A  
 GLAZING: GL-3  
 FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR

12 TYPE W3.13-A  
 1/4" = 1'-0"

90 Degree  
 Aluminum B/M  
 Corner




TYPE: W3.13B  
 GLAZING: GL-3  
 FRAME: ALUMINUM, PTD. SEE SPEC FOR COLOR


8 TYPE W3.13-B  
 1/4" = 1'-0"

8" Steel Column NBE  
 See B/M Takeoff For  
 Column Covers  
 11/A865

Series 5600 2 1/2" X 7 1/2" Curtain Wall Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
 4 Each Type W3.13-A  
 2 Each Type W3.13-B



Series 5600 2 1/2" X 7 1/2" Curtain Wall Framing - Ultrapon 70% Kynar 2-Coat Custom Color  
2 Each Type W3.14-B



D518 Durastile Doors With 10" Bottom Rails - Ultrapon 70% Kynar 2-Coat Custom Color  
 Base Bid Is Prep Only - Provide Add Price For EFCO To Provide Door Hardware Per Attached Schedule  
 Door Frames Are Interior KD Type Frames Not By EFCO

Door 102A - 6'2" X 8'0" Pair - Hdw 49  
 Door 130A - 3'0" X 6'8" Sgl - Hdw 40  
 Door 133 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 135 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 137A - 3'0" X 6'8" Sgl - Hdw 35  
 Door 142A - 3'0" X 6'8" Sgl - Hdw 18  
 Door 160C - 6'0" X 7'10" Pair - Hdw 51  
 Door 202A - 3'0" X 6'8" Sgl - Hdw 30  
 Door 204A - 3'0" X 6'8" Sgl - Hdw 30  
 Door 208 - 3'0" X 6'8" Sgl - Hdw 30  
 Door 234 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 236 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 238 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 240 - 3'0" X 6'8" Sgl - Hdw 42

Door 102B - 6'2" X 8'0" Pair - Hdw 49  
 Door 132 - 3'0" X 6'8" Sgl - Hdw 40  
 Door 134 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 136 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 137B - 3'0" X 6'8" Sgl - Hdw 35  
 Door 143 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 202 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 202B - 3'0" X 6'8" Sgl - Hdw 30  
 Door 204B - 3'0" X 6'8" Sgl - Hdw 30  
 Door 231 - 3'0" X 6'8" Sgl - Hdw 18  
 Door 235A - 3'0" X 6'8" Sgl - Hdw 18  
 Door 237 - 3'0" X 6'8" Sgl - Hdw 23  
 Door 239 - 3'0" X 6'8" Sgl - Hdw 42  
 Door 145A - 3'0" X 6'8" Sgl - Hdw 18

VETERANS MEMORIAL BUILDING/SENIOR CENTER – YMCA JOINT PROJECT – PHASE 1  
REDWOOD CITY, CA

GROUP NO. 18

|   |    |                |                         |       |     |
|---|----|----------------|-------------------------|-------|-----|
| 3 | EA | HINGE          | 5BB1HW 4.5 X 4.5        | 652   | IVE |
| 1 | EA | CLASSROOM LOCK | ND70P6D SPA             | 626   | SCH |
| 1 | EA | SURFACE CLOSER | 4040XP REG OR PA AS REQ | 689   | LCN |
| 1 | EA | WALL STOP      | WS401/402CCV            | US26D | IVE |

VETERANS MEMORIAL BUILDING/SENIOR CENTER – YMCA JOINT PROJECT – PHASE 1  
REDWOOD CITY, CA

GROUP NO. 23

|   |    |             |                |     |     |
|---|----|-------------|----------------|-----|-----|
| 3 | EA | HINGE       | 5BB1 4.5 X 4.5 | 652 | IVE |
| 1 | EA | PASSAGE SET | ND10S SPA      | 626 | SCH |
| 1 | EA | FLOOR STOP  | FS439          | 682 | IVE |



VETERANS MEMORIAL BUILDING/SENIOR CENTER – YMCA JOINT PROJECT – PHASE 1  
REDWOOD CITY, CA

GROUP NO. 30

|   |    |                  |                  |     |     |
|---|----|------------------|------------------|-----|-----|
| 3 | EA | HINGE            | 5BB1HW 4.5 X 4.5 | 652 | IVE |
| 1 | EA | PANIC HARDWARE   | 9875-L-17        | 626 | VON |
| 1 | EA | MORTISE CYLINDER | 26-091           | 626 | SCH |
| 1 | EA | OH STOP          | 100S             | 630 | GLY |
| 1 | EA | SURFACE CLOSER   | 4040XP EDA       | 689 | LCN |

VETERANS MEMORIAL BUILDING/SENIOR CENTER – YMCA JOINT PROJECT – PHASE 1  
REDWOOD CITY, CA

GROUP NO. 35

|   |    |                |                |     |     |
|---|----|----------------|----------------|-----|-----|
| 3 | EA | HINGE          | 5BB1 4.5 X 4.5 | 652 | IVE |
| 1 | EA | STOREROOM LOCK | ND80P6D SPA    | 626 | SCH |
| 1 | EA | SURFACE CLOSER | 4040XP SCUSH   | 689 | LCN |

VETERANS MEMORIAL BUILDING/SENIOR CENTER – YMCA JOINT PROJECT – PHASE 1  
REDWOOD CITY, CA

GROUP NO. 40

|   |    |                   |                             |       |     |
|---|----|-------------------|-----------------------------|-------|-----|
| 3 | EA | HINGE             | 5BB1HW 4.5 X 4.5            | 652   | IVE |
| 1 | EA | ELECTRIC HINGE    | 5BB1HW 4.5 X 4.5 TW8        | 652   | IVE |
| 1 | EA | EU STOREROOM LOCK | ND80P6DEU SPA RX 12V/24V DC | 626   | SCH |
| 1 | EA | SURFACE CLOSER    | 4040XP REG OR PA AS REQ     | 689   | LCN |
| 1 | EA | WALL STOP         | WS401/402CCV                | US26D | IVE |
|   |    |                   | CARD READER - WORK OF       |       |     |
|   |    |                   | DIVISION 28                 |       |     |
|   |    |                   | POWER SUPPLY - WORK OF      |       |     |
|   |    |                   | DIVISION 28                 |       |     |

GROUP NO. 42

|   |    |                      |                |     |     |
|---|----|----------------------|----------------|-----|-----|
| 3 | EA | HINGE                | 5BB1 4.5 X 4.5 | 652 | IVE |
| 1 | EA | ENTRANCE/OFFICE LOCK | ND50P6D SPA    | 626 | SCH |
| 1 | EA | FLOOR STOP           | FS439          | 682 | IVE |

VETERANS MEMORIAL BUILDING/SENIOR CENTER – YMCA JOINT PROJECT – PHASE 1  
REDWOOD CITY, CA

GROUP NO. 49

|   |    |                |                   |             |     |
|---|----|----------------|-------------------|-------------|-----|
| 2 | EA | CONT. HINGE    | 112XY             | 628         | IVE |
| 2 | EA | LONG DOOR PULL | PR 9264 36" 20" N | 630-<br>316 | IVE |
| 2 | EA | OH STOP        | 100S              | 630         | GLY |
| 2 | EA | SURFACE CLOSER | 4040XP EDA        | 689         | LCN |

GROUP NO. 51

|   |    |                  |                  |             |     |
|---|----|------------------|------------------|-------------|-----|
| 2 | EA | CONT. HINGE      | 112XY            | 628         | IVE |
| 1 | EA | PANIC HARDWARE   | 9849-EO          | 626         | VON |
| 1 | EA | PANIC HARDWARE   | 9849-NL-OP-110MD | 626         | VON |
| 1 | EA | RIM CYLINDER     | 20-057           | 626         | SCH |
| 2 | EA | LONG DOOR PULL   | 9264 36" 20" O   | 630-<br>316 | IVE |
| 2 | EA | OH STOP & HOLDER | 100H             | 630         | GLY |
| 2 | EA | SURFACE CLOSER   | 4040XP EDA       | 689         | LCN |